

# UES LES UYS LYS Series Pillow Block Bearings

Pillow Block Bearings

UES LES UYS LYS Series Pillow Block Bearings



| Model                 | Dimensions (mm) |    |                |      |                |                |      |       |     |      |                |                | Fig. | Mass |
|-----------------------|-----------------|----|----------------|------|----------------|----------------|------|-------|-----|------|----------------|----------------|------|------|
|                       | d               | A  | A <sub>1</sub> | H    | H <sub>2</sub> | H <sub>1</sub> | Jmin | Jmax  | L   | N    | N <sub>1</sub> | S <sub>1</sub> |      | kg   |
| UES 203 2S            | 17              | 32 | 18             | 56.2 | 30.2           | 14             | 88   | 106   | 127 | 11.5 | 20.5           | 15.9           | 1    | 0.48 |
| LES 203 2F            | 17              | 32 | 18             | 56.2 | 30.2           | 14             | 88   | 106   | 127 | 11.5 | 20.5           | 15.9           | 2    | 0.5  |
| UYS 203 2S            | 17              | 32 | 18             | 56.2 | 30.2           | 14             | 88   | 106   | 127 | 11.5 | 20.5           | 22.1           | 3    | 0.52 |
| LYS 203 2F            | 17              | 32 | 18             | 56.2 | 30.2           | 14             | 88   | 106   | 127 | 11.5 | 20.5           | 23.4           | 4    | 0.54 |
| UES 204 2S            | 20              | 34 | 23             | 63.8 | 33.3           | 14             | 89   | 104.5 | 127 | 13   | 20.7           | 18.3           | 1    | 0.55 |
| LES 204 2F            | 20              | 34 | 23             | 63.8 | 33.3           | 14             | 89   | 104.5 | 127 | 13   | 20.7           | 18.3           | 2    | 0.57 |
| UYS 204 2S            | 20              | 34 | 23             | 63.8 | 33.3           | 14             | 89   | 104.5 | 127 | 13   | 20.7           | 23.5           | 3    | 0.59 |
| LYS 204 2F            | 20              | 34 | 23             | 63.8 | 33.3           | 14             | 89   | 104.5 | 127 | 13   | 20.7           | 26.6           | 4    | 0.62 |
| LKS 205 2F +<br>H2305 | 25              | 38 | 24             | 69.5 | 36.5           | 16             | 94   | 111   | 140 | 13   | 21.5           | 20             | 6    | 0.77 |
| UES 205 2S            | 25              | 38 | 24             | 69.5 | 36.5           | 16             | 94   | 111   | 140 | 13   | 21.5           | 19.5           | 1    | 0.7  |
| LES 205 2F            | 25              | 38 | 24             | 69.5 | 36.5           | 16             | 94   | 111   | 140 | 13   | 21.5           | 19.8           | 2    | 0.73 |
| UYS 205 2S            | 25              | 38 | 24             | 69.5 | 36.5           | 16             | 94   | 111   | 140 | 13   | 21.5           | 23.5           | 3    | 0.73 |
| LYS 205 2F            | 25              | 38 | 24             | 69.5 | 36.5           | 16             | 94   | 111   | 140 | 13   | 21.5           | 26.9           | 4    | 0.78 |
| LSS 205 2F            | 25              | 38 | 24             | 69.5 | 36.5           | 16             | 94   | 111   | 140 | 13   | 21.5           | 12             | 5    | 0.7  |
| LKS 206 2F +<br>H2306 | 30              | 42 | 27             | 81.4 | 42.9           | 16             | 111  | 125   | 165 | 17   | 24             | 22             | 6    | 1.15 |
| UES 206 2S            | 30              | 42 | 27             | 81.4 | 42.9           | 16             | 111  | 125   | 165 | 17   | 24             | 21             | 1    | 1.06 |
| LES 206 2F            | 30              | 42 | 27             | 81.4 | 42.9           | 16             | 111  | 125   | 165 | 17   | 24             | 22.2           | 2    | 1.12 |
| UYS 206 2S            | 30              | 42 | 27             | 81.4 | 42.9           | 16             | 111  | 125   | 165 | 17   | 24             | 26.7           | 3    | 1.12 |
| LYS 206 2F            | 30              | 42 | 27             | 81.4 | 42.9           | 16             | 111  | 125   | 165 | 17   | 24             | 30.1           | 4    | 1.19 |
| LSS 206 2F            | 30              | 42 | 27             | 81.4 | 42.9           | 16             | 111  | 125   | 165 | 17   | 24             | 14             | 5    | 1.06 |
| LKS 207 2F +<br>H2307 | 35              | 46 | 28             | 92.1 | 47.6           | 17             | 122  | 136   | 167 | 17   | 24             | 24.3           | 6    | 1.55 |
| UES 207 2S            | 35              | 46 | 28             | 92.1 | 47.6           | 17             | 122  | 136   | 167 | 17   | 24             | 23.3           | 1    | 1.46 |
| LES 207 2F            | 35              | 46 | 28             | 92.1 | 47.6           | 17             | 122  | 136   | 167 | 17   | 24             | 25.5           | 2    | 1.53 |
| UYS 207 2S            | 35              | 46 | 28             | 92.1 | 47.6           | 17             | 122  | 136   | 167 | 17   | 24             | 29.4           | 3    | 1.58 |
| LYS 207 2F            | 35              | 46 | 28             | 92.1 | 47.6           | 17             | 122  | 136   | 167 | 17   | 24             | 32.3           | 4    | 1.7  |
| LSS 207 2F            | 35              | 46 | 28             | 92.1 | 47.6           | 17             | 122  | 136   | 167 | 17   | 24             | 15.2           | 5    | 1.47 |
| LKS 208 2F +<br>H2308 | 40              | 49 | 31             | 98.2 | 49.2           | 18             | 128  | 145   | 184 | 17   | 25.5           | 27             | 6    | 1.9  |

UES LES UYS LYS Series Pillow Block Bearings

|                       |    |    |    |       |      |      |     |     |     |    |      |      |   |      |
|-----------------------|----|----|----|-------|------|------|-----|-----|-----|----|------|------|---|------|
| UES 208 2S            | 40 | 49 | 31 | 98.2  | 49.2 | 18   | 128 | 145 | 184 | 17 | 25.5 | 25.3 | 1 | 1.85 |
| LES 208 2F            | 40 | 49 | 31 | 98.2  | 49.2 | 18   | 128 | 145 | 184 | 17 | 25.5 | 30.2 | 2 | 1.96 |
| UYS 208 2S            | 40 | 49 | 31 | 98.2  | 49.2 | 18   | 128 | 145 | 184 | 17 | 25.5 | 32.7 | 3 | 1.99 |
| LYS 208 2F            | 40 | 49 | 31 | 98.2  | 49.2 | 18   | 128 | 145 | 184 | 17 | 25.5 | 34.9 | 4 | 2.08 |
| LSS 208 2F            | 40 | 49 | 31 | 98.2  | 49.2 | 18   | 128 | 145 | 184 | 17 | 25.5 | 17   | 5 | 1.88 |
| LKS 209 2F +<br>H2309 | 45 | 52 | 36 | 107   | 54   | 20   | 136 | 151 | 190 | 17 | 23.5 | 28.5 | 6 | 2.35 |
| UES 209 2S            | 45 | 52 | 36 | 107   | 54   | 20   | 136 | 151 | 190 | 17 | 23.5 | 25.8 | 1 | 2.23 |
| LES 209 2F            | 45 | 52 | 36 | 107   | 54   | 20   | 136 | 151 | 190 | 17 | 23.5 | 30.2 | 2 | 2.34 |
| UYS 209 2S            | 45 | 52 | 36 | 107   | 54   | 20   | 136 | 151 | 190 | 17 | 23.5 | 32.7 | 3 | 2.34 |
| LYS 209 2F            | 45 | 52 | 36 | 107   | 54   | 20   | 136 | 151 | 190 | 17 | 23.5 | 34.9 | 4 | 2.46 |
| LSS 209 2F            | 45 | 52 | 36 | 107   | 54   | 20   | 136 | 151 | 190 | 17 | 23.5 | 17.5 | 5 | 2.25 |
| LKS 210 2F +<br>H2310 | 50 | 58 | 38 | 113.2 | 57.2 | 22   | 151 | 164 | 206 | 20 | 26.5 | 30.5 | 6 | 2.85 |
| UES 210 2S            | 50 | 58 | 38 | 113.2 | 57.2 | 22   | 151 | 164 | 206 | 20 | 26.5 | 27.6 | 1 | 2.59 |
| LES 210 2F            | 50 | 58 | 38 | 113.2 | 57.2 | 22   | 151 | 164 | 206 | 20 | 26.5 | 32.6 | 2 | 2.74 |
| UYS 210 2S            | 50 | 58 | 38 | 113.2 | 57.2 | 22   | 151 | 164 | 206 | 20 | 26.5 | 32.7 | 3 | 2.73 |
| LYS 210 2F            | 50 | 58 | 38 | 113.2 | 57.2 | 22   | 151 | 164 | 206 | 20 | 26.5 | 38.1 | 4 | 2.92 |
| LSS 210 2F            | 50 | 58 | 38 | 113.2 | 57.2 | 22   | 151 | 164 | 206 | 20 | 26.5 | 20   | 5 | 2.65 |
| LKS 211 2F +<br>H2311 | 55 | 60 | 40 | 125.5 | 63.5 | 24   | 163 | 180 | 219 | 20 | 27.5 | 32.5 | 6 | 3.75 |
| LES 211 2F            | 55 | 60 | 40 | 125.5 | 63.5 | 24   | 163 | 180 | 219 | 20 | 27.5 | 33.4 | 2 | 3.62 |
| UYS 211 2S            | 55 | 60 | 40 | 125.5 | 63.5 | 24   | 163 | 180 | 219 | 20 | 27.5 | 35.9 | 3 | 3.59 |
| LYS 211 2F            | 55 | 60 | 40 | 125.5 | 63.5 | 24   | 163 | 180 | 219 | 20 | 27.5 | 43.6 | 4 | 3.8  |
| LSS 211 2F            | 55 | 60 | 40 | 125.5 | 63.5 | 24   | 163 | 180 | 219 | 20 | 27.5 | 21.2 | 5 | 3.59 |
| LKS 212 2F +<br>H2312 | 60 | 65 | 47 | 136.8 | 69.8 | 26.5 | 179 | 198 | 241 | 20 | 29.5 | 34.3 | 6 | 4.55 |
| LES 212 2F            | 60 | 65 | 47 | 136.8 | 69.8 | 26.5 | 179 | 198 | 241 | 20 | 29.5 | 39.7 | 2 | 4.62 |
| UYS 212 2S            | 60 | 65 | 47 | 136.8 | 69.8 | 26.5 | 179 | 198 | 241 | 20 | 29.5 | 40.3 | 3 | 4.19 |
| LYS 212 2F            | 60 | 65 | 47 | 136.8 | 69.8 | 26.5 | 179 | 198 | 241 | 20 | 29.5 | 46.8 | 4 | 4.82 |
| LKS 213 2F +<br>H2313 | 65 | 70 | 49 | 150   | 76.2 | 27   | 193 | 213 | 265 | 25 | 35   | 35.8 | 6 | 5.7  |
| LES 213 2F            | 65 | 70 | 49 | 150   | 76.2 | 27   | 193 | 213 | 265 | 25 | 35   | 42.9 | 2 | 6.02 |
| LYS 213 2F            | 65 | 70 | 49 | 150   | 76.2 | 27   | 193 | 213 | 265 | 25 | 35   | 51.6 | 4 | 6.55 |
| LKS 215 2F +<br>H2315 | 70 | 74 | 54 | 165   | 82.5 | 28   | 209 | 225 | 275 | 25 | 33   | 38.8 | 6 | 7.55 |
| LES 214 2F            | 70 | 72 | 46 | 155   | 79.4 | 27   | 205 | 215 | 266 | 25 | 30   | 39.7 | 2 | 6.6  |
| LYS 214 2F            | 70 | 72 | 46 | 155   | 79.4 | 27   | 205 | 215 | 266 | 25 | 30   | 51.6 | 4 | 7.1  |

# UES LES UYS LYS Series Pillow Block Bearings

|                       |     |    |    |     |       |    |     |     |     |    |    |      |   |      |
|-----------------------|-----|----|----|-----|-------|----|-----|-----|-----|----|----|------|---|------|
| LKS 216 2F +<br>H2316 | 75  | 78 | 50 | 175 | 88.9  | 30 | 222 | 242 | 292 | 25 | 35 | 41.5 | 6 | 9.5  |
| LES 215 2F            | 75  | 74 | 54 | 165 | 82.5  | 28 | 209 | 225 | 275 | 25 | 33 | 46.3 | 2 | 7.8  |
| LYS 215 2F            | 75  | 74 | 54 | 165 | 82.5  | 28 | 209 | 225 | 275 | 25 | 33 | 59.6 | 4 | 8.4  |
| LES 216 2F            | 80  | 78 | 50 | 175 | 88.9  | 30 | 222 | 242 | 292 | 25 | 35 | 47.6 | 2 | 9.2  |
| LYS 216 2F            | 80  | 78 | 50 | 175 | 88.9  | 30 | 222 | 242 | 292 | 25 | 35 | 59.6 | 4 | 10   |
| LKS 218 2F +<br>H2318 | 90  | 88 | 54 | 200 | 101.6 | 33 | 254 | 270 | 327 | 27 | 35 | 47   | 6 | 13.7 |
| LES 218 2F            | 90  | 88 | 54 | 200 | 101.6 | 33 | 254 | 270 | 327 | 27 | 35 | 54   | 2 | 13.7 |
| LYS 218 2F            | 90  | 88 | 54 | 200 | 101.6 | 33 | 254 | 270 | 327 | 27 | 35 | 62.8 | 4 | 14.6 |
| LES 220 2F            | 100 | 95 | 57 | 225 | 115   | 38 | 286 | 330 | 380 | 26 | 48 | 63.4 | 2 | 17.8 |
| LYS 220 2F            | 100 | 95 | 57 | 225 | 115   | 38 | 286 | 330 | 380 | 26 | 48 | 49.5 | 4 | 17.4 |
|                       |     |    |    |     |       |    |     |     |     |    |    |      |   |      |
|                       |     |    |    |     |       |    |     |     |     |    |    |      |   |      |